

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2027	node same measure\$5 same sensor	US-PGPU B; USPAT	OR	ON	2007/01/05 14:06
L2	284	(command or instructions) with setting with (sensor or measure\$5) same (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 14:03
L3	1	1 and 2	US-PGPU B; USPAT	OR	ON	2007/01/05 14:02
L4	2870	setting with (sensor or measure\$5) with (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 14:03
L6	135	(chang\$3 or alter\$3) near3 setting with (sensor or measure\$5) with (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 16:45
L7	17	1 and 4	US-PGPU B; USPAT	OR	ON	2007/01/05 14:04
L8	1	1 and 6	US-PGPU B; USPAT	OR	ON	2007/01/05 14:05
L9	218057	measure\$5 same sensor	US-PGPU B; USPAT	OR	ON	2007/01/05 14:07
L14	6204	measure\$5 same sensor same network	US-PGPU B; USPAT	OR	ON	2007/01/05 14:07
L16	53	6 and 9	US-PGPU B; USPAT	OR	ON	2007/01/05 14:08
L17	11	6 and 14	US-PGPU B; USPAT	OR	ON	2007/01/05 14:08
L18	16	16 and internet	US-PGPU B; USPAT	OR	ON	2007/01/05 14:12
L19	1498	(adjust\$3) with (sensor) with (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 14:33
L20	6	1 and 19	US-PGPU B; USPAT	OR	ON	2007/01/05 14:32
L21	26	14 and 19	US-PGPU B; USPAT	OR	ON	2007/01/05 14:32
L22	1763	(adjust\$3) with measure\$5 with (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 14:34

EAST Search History

L23	37	22 and sensor with network	US-PGPU B; USPAT	OR	ON	2007/01/05 14:34
L24	5031	(configur\$5) with (sensor or measure\$5) with (user or client)	US-PGPU B; USPAT	OR	ON	2007/01/05 16:46
L25	2214	9 and 24	US-PGPU B; USPAT	OR	ON	2007/01/05 16:46
L26	309	14 and 24	US-PGPU B; USPAT	OR	ON	2007/01/05 16:46
L27	654	(configur\$5) with (sensor or measure\$5) with (user or client) same (condition or threshold)	US-PGPU B; USPAT	OR	ON	2007/01/05 17:07
L28	321	9 and 27	US-PGPU B; USPAT	OR	ON	2007/01/05 16:58
L30	48	14 and 27	US-PGPU B; USPAT	OR	ON	2007/01/05 16:47
L31	122	28 and internet	US-PGPU B; USPAT	OR	ON	2007/01/05 17:07
L32	82	31 not 30	US-PGPU B; USPAT	OR	ON	2007/01/05 16:58
L33	678	(configur\$5) with (controller) with (user or client) same (sensor)	US-PGPU B; USPAT	OR	ON	2007/01/05 17:07
L34	195	33 and internet	US-PGPU B; USPAT	OR	ON	2007/01/05 17:07
L35	17261	(709/224,218,219,202,203). CCLS.	US-PGPU B; USPAT	OR	OFF	2007/01/05 18:15
L36	1071	((700/1) or (340/3.1)).CCLS.	US-PGPU B; USPAT	OR	OFF	2007/01/05 18:15
L37	18304	35 or 36	US-PGPU B; USPAT	OR	ON	2007/01/05 18:16
L38	796	(sensor and controller and (user or client)).ab.	US-PGPU B; USPAT	OR	ON	2007/01/05 18:16
L39	203	(sensor and controller and (user or client) and (configur\$5 or setting or adapt\$3 or custom\$7)).ab.	US-PGPU B; USPAT	OR	ON	2007/01/05 18:17
L40	13	37 and 38	US-PGPU B; USPAT	OR	ON	2007/01/05 18:17

EAST Search History

L41	4	37 and 39	US-PGPU B; USPAT	OR	ON	2007/01/05 18:17
-----	---	-----------	---------------------	----	----	---------------------